

From: [Jeff.Keiser@CH2M.com](mailto:Jeff.Keiser@CH2M.com)  
To: [Saric](#)  
[James](#)  
CC:  
Date: 7/2/2013 8:58:04 AM  
Subject: RE: Area 3 Sampling Plan

---

Our review is done, we have no further comments, I will write up a quick letter stating that to make it official.

JK

Jeff Keiser  
Project Manager  
135 S. 84th Street, Suite 400  
Milwaukee, WI 53214  
Direct – 414 847-0382  
e-Fax -- 414 454-8766  
Mobile 414 467-4893  
[www.jkeiser@ch2m.com](http://www.jkeiser@ch2m.com)  
*Solutions without Boundaries*

---

**From:** Saric, James [mailto:saric.james@epa.gov]  
**Sent:** Tuesday, July 02, 2013 8:24 AM  
**To:** Keiser, Jeff/MKE  
**Subject:** Area 3 Sampling Plan

Jeff,

Not sure if you have completed your review of the Area 3 Sampling Plan. However, I completed my review and I don't have any comments. I read MDEQ comments and as I indicated from our FIELDS group, I can live with either the 30 or 49 incremental sampling approach. I want to provide GP an approval and/or comments if you have any by Monday 7/8. That way we can get them in the field asap.

Jim